



Anora™
Miscarriage test (POC)

Find the answers
you're looking for
after a miscarriage





Anora gives you fast, reliable answers to help determine the cause of your miscarriage

Anora can be helpful if you:

- Want to better understand why you had a miscarriage
- Have had more than one miscarriage
- Want to understand your risk of having another miscarriage
- Have had a child or previous pregnancy with a chromosomal abnormality

>50%

of miscarriages are caused by chromosomal abnormalities¹





What can Anora tell me?



Anora is the most comprehensive miscarriage test available, trusted by doctors for more than a decade.

Anora can identify:



Missing or extra chromosomes (aneuploidy and triploidy)



Missing or extra pieces of chromosomes (deletions/duplications)



Two copies of a chromosome from one parent with no copy from the other (uniparental disomy)

What are chromosomes?

Chromosomes are the structures in our cells that contain instructions for how to grow and develop. Most people have 46 chromosomes that come in 23 pairs—one from each parent.

What happens when there is a chromosomal abnormality?

Too much or too little chromosome material can cause problems including birth defects, learning problems, and miscarriage. Certain chromosomal abnormalities can result in the need for post-pregnancy medical follow-up.

Most chromosomal abnormalities happen by chance and have a low risk of happening again. In these cases, other tests to determine the cause of a miscarriage can be avoided.

Get answers to help ease your emotional burden

Anora is a test that your doctor can order to help explain why you had a miscarriage. It looks at tissue from your pregnancy loss (also called products of conception) to determine whether a chromosomal abnormality was the cause. It can help your doctor determine whether you are at risk for another miscarriage and inform next steps.

It's important to know that you did not cause the miscarriage. Anora can help provide relief in understanding why it happened—so you can move forward.

Choose Anora Choose peace of mind

Fast Answers



Typically provides results in **one week**, faster than standard testing—which can take multiple weeks, delaying closure and determination of next steps²

Reliable Results



Returns results **>99%** of the time.³ Other tests can provide no result up to 40% of the time and can lead to unnecessary follow-up evaluation and testing⁴

Affordable Testing



Most patients receiving reproductive care meet their deductible and their out-of-pocket cost for the test is **less than \$349**

If you've not met your deductible, what you pay will go towards meeting your deductible, after which insurance begins to contribute to your care.

If Natera estimates your cost to exceed \$349, Natera will contact you to ask whether you prefer to bill your insurance or pay the discounted cash price.

If your insurance plan denies your claim, you will be eligible for the discounted cash price.

Visit my.natera.com to learn more.



How is the tissue collected?

Most often, your provider will collect the tissue following a dilation and curettage (D&C) or dilation and evacuation (D&E) procedure. If you miscarry at home, you can also collect POC tissue by following our at-home Anora sample collection instructions: **natera.com/anora-at-home**

When can I test with Anora?

Anora can be performed on miscarriage tissue as early as 5 weeks into pregnancy.

What if I had a miscarriage a while ago?

Anora can be used to test previous miscarriages if tissue was stored in paraffin. You can check with your doctor to see if your tissue from a prior miscarriage was sent to a pathology lab. The Anora paraffin test requires a blood sample from both biological parents.

Are there other comparable tests?

Karyotype analysis is the traditional method used to look for chromosomal abnormalities; however, this test has some limitations. Anora returns results faster and more reliably.^{2,3}

What is needed for testing?

- Tissue from pregnancy loss
(Fresh or paraffin-preserved)
- Blood or cheek swab sample from parents
(Optional for fresh tissue, required for paraffin testing)
- A referral from your doctor

Want to learn more about Anora? Text the following keywords to 484848

ANORA to learn more about the test



Watch a short informational video about the Anora miscarriage test.

SESSION for genetic information sessions



Schedule a complimentary 15-minute call with a board-certified genetic counselor before or after your test.

Get answers to common questions: natera.com/anora

References

- 1 Hyde and Schust. *Cold Spring Harb Perspect Med.* 2015;5(3):a023119.
- 2 Shah et al., *Fertil Steril.* 2019; 107(4): 1028-1033.
- 3 Levy et al., *Obstet Gynecol.* 2014;123 (2 pt1): 202-9.
- 4 Lomax et al. *Am J Hum Genet.* 2000;66:1516-31.

13011 McCallen Pass, Building A Suite 100, Austin, TX 78753

Main +1 844.778.4700 | natera.com

The test described has been developed and its performance characteristics determined by the CLIA-certified laboratory performing the test. The test has not been cleared or approved by the US Food and Drug Administration (FDA). Although FDA is exercising enforcement discretion of premarket review and other regulations for laboratory-developed tests in the US, certification of the laboratory is required under CLIA to ensure the quality and validity of the tests. CAP accredited, ISO 13485 certified, and CLIA certified. © 2021 Natera, Inc. All Rights Reserved. ANO_PT_BR_20210804_NAT-8020550

